| | Application N . | Applicant(s) |
|--|--|---|
| Notice of Allowability | 10/659,953 | FEHRER, MONIKA |
| | Examiner | Art Unit |
| | Amy B. Vanatta | 3765 |
| The MAILING DATE f this c mmunication apperation all claims being allowable, PROSECUTION ON THE MERITS IS (herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT Refer to the Office or upon petition by the applicant. See 37 CFR 1.313 | ars on the c ver sheet with the c (OR REMAINS) CLOSED in this apportant communication GHTS. This application is subject to | plication. If not included will be mailed in due course. THIS |
| 1. ☑ This communication is responsive to <i>filing of 9/11/03</i> . | | |
| 2. The allowed claim(s) is/are <u>1-3</u> . | | |
| 3. \boxtimes The drawings filed on <u>11 September 2003</u> are accepted by | the Examiner. | |
| 4. Acknowledgment is made of a claim for foreign priority units a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: | been received. been received in Application No | |
| Applicant has THREE MONTHS FROM THE "MAILING DATE" of noted below. Failure to timely comply will result in ABANDONMI THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. | | complying with the requirements |
| 5. A SUBSTITUTE OATH OR DECLARATION must be submir INFORMAL PATENT APPLICATION (PTO-152) which give | | |
| 6. CORRECTED DRAWINGS (as "replacement sheets") must | t be submitted. | |
| (a) including changes required by the Notice of Draftsperson | on's Patent Drawing Review (PTO-9 | 948) attached |
| 1) hereto or 2) to Paper No./Mail Date | | |
| (b) ☐ including changes required by the attached Examiner's Paper No./Mail Date | Amendment / Comment or in the O | ffice action of |
| Identifying indicia such as the application number (see 37 CFR 1.9 each sheet. Replacement sheet(s) should be labeled as such in the | 84(c)) should be written on the drawing header according to 37 CFR 1.121(c | igs in the front (not the back) of i). |
| 7. DEPOSIT OF and/or INFORMATION about the depose attached Examiner's comment regarding REQUIREMENT F | | |
| Attachment(s) | | |
| 1. Notice of References Cited (PTO-892) | 5. Notice of Informal Page 1 | atent Application (PTO-152) |
| 2. Notice of Draftperson's Patent Drawing Review (PTO-948) | 6. ☐ Interview Summary Paper No./Mail Date | |
| 3. Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date 09112003 | 3), 7. ⊠ Examiner's Amendm | nent/Comment |
| 4. Examiner's Comment Regarding Requirement for Deposit | | nt of Reasons for Allowance |
| of Biological Material | 9. | Amy B. Vanatta Primary Examiner Art Unit: 3765 |

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Kurt Kelman on April 23, 2004.

The application has been amended as follows:

In claim 1, line 2, "the" before "needling direction" has been changed to -- a --.

In claim 2, line 2, "several" has been changed to -- a plurality of --.

In claim 2, line 4, "the" before "cross section" has been deleted.

- 2. The above changes have been made in order to more clearly recite the invention under 35 USC 112, second paragraph.
- 3. The following is an examiner's statement of reasons for allowance: Claim 1 and the claims dependent thereon are allowable in view of the recitation of a needling apparatus including a needle board, a stitch base made of an endlessly revolving brush belt, and a stripper between the stitch base and the needle board, wherein the stripper forms at least one guide duct for the yarn extending in the revolving direction of the

Application/Control Number: 10/659,953 Page 3

Art Unit: 3765

brush belt and has pass-through openings for the needles in the region of the guide duct, and the guide duct is between guide walls which engage in the brush belt and delimit a duct cross section which tapers towards the yarn.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Amy B. Vanatta whose telephone number is 703-308-2939. The examiner can normally be reached on Monday through Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Calvert can be reached on 703-305-1025. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Amy B. Vanatta
Primary Examiner
Art Unit 3765